

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	classifi\$3 near5 priorit\$3 near5 (item\$3emaile-mail\$3documents\$3text\$3messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:05
L2	132	classifi\$3 near5 priorit\$3 near5 (item\$3 emaile-mail\$3 document\$3 text\$3 messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:05
L3	10730	classifi\$3 near5 (item\$3 email e-mail\$3 document\$3 text\$3 messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:05
L4	650	((old\$3 ag\$2 (non near3 open\$2) non-open (non near4 review\$3) non-read (non near3 read\$3)) near5 (messag\$3 eamil e-mail (e near3mail))) near5 (warn\$3 display\$3 alarm\$3 priorit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:06
L5	839	((delay\$3) near5 (messag\$3 eamil e-mail (e near3mail))) near5 (warn\$3 display\$3 alarm\$3 priorit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:07
L6	13	((delay\$3) near5 (messag\$3 eamil e-mail (e near3mail))) near5 (warn\$3 display\$3 alarm\$3 priorit\$3) near5 (open\$3 3 view\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:17
L7	14	((delay\$3) near5 (messag\$3 eamil e-mail (e near3mail))) near5 (warn\$3 display\$3 alarm\$3 priorit\$3) near5 (open\$3 3 view\$3 review\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:08
L17	12346	priorit\$3 near5 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:17

EAST Search History

L18	12346	priorit\$3 near5 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:17
L19	2147	(remind\$3 notic\$4 notif\$5 warn\$3 display\$3 alarm\$5) near5 (meet\$3 appoint\$5 schedul\$3) near4 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:18
L20	60	(cost\$3) near5 (meet\$3 appoint\$5 schedul\$3) near4 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:20
L21	27	3 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:18
L22	69	3 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:18
L23	0	21 and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:18
L24	0	21 and @ad<"19990730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:19
L25	12	22 and @ad<"19990730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:19
L26	11	(loss\$3) near5 (meet\$3 appoint\$5 schedul\$3) near4 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:47

EAST Search History

L27	2	"6182059".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:47
S1	0	classifi\$3 near5 priorit\$3 near5 (item\$3email-e-mail\$3document\$3text\$3messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:05
S2	115	classifi\$3 near5 priorit\$3 near5 (item\$3 email e-mail\$3 document\$3 text\$3 messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 16:52
S3	37	S2 and @ad<"19990730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 16:52
S4	23494	priorit\$3 near5 (item\$3 email e-mail\$3 document\$3 text\$3 messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 16:52
S5	8784	classifi\$3 near5 (item\$3 email e-mail\$3 document\$3 text\$3 messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:05
S6	626	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/03 16:52
S7	163	S6 and @ad<"19990730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 15:10
S8	432	(classif\$5 cluster\$3 group\$3) near5 (priorit\$5) near5 (text\$3 messag\$3 document\$3 email\$3 e-mail\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 15:05

EAST Search History

S9	37	S8 and bayesian\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 15:10
S10	37	S9 and @ad<"199907030"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:17
S11	419	S8 and @ad<"199907030"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 15:09
S12	178	S8 and @ad<"19990730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 15:11
S13	2	S12 and bayesian\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 15:10
S14	0	S12 and vector near5 classif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 15:11
S15	1	"6411947".pn. and (priorit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 15:51
S16	1	"6411947".pn. and (priorit\$4) and classif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/04 15:51
S17	35	(email\$3 e-mail\$2 (electronic\$3 near4 messag\$3)) near5 classif\$4 near5 prior\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:21

EAST Search History

S18	10	S17 and @ad<"20000101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:18
S19	5	S18 and probabilit\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:17
S20	2986	(email\$3 e-mail\$2 (electronic\$3 near4 messag\$3)) near5 prior\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:16
S21	10	S20 and probabilit\$5 near7 classif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:18
S22	0	S21 and @ad<"20000101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:17
S23	96	S20 and bayesian\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:18
S24	5	S23 and @ad<"20000101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:22
S25	23	S20 and probabilit\$5 near7 classif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:22
S26	0	S25 and @ad<"20000101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:18

EAST Search History

S27	675	(email\$3 e-mail\$2 (electronic\$3 near4 messag\$3)) near5 classif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:21
S28	2847	(email\$3 e-mail\$2 (electronic\$3 near4 messag\$3) messag\$3) near5 classif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:21
S29	85	S28 and probabil\$5 near7 classif\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:22
S30	13	S29 and @ad<"20000101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:24
S31	252	S28 and (urgent\$3 importan\$3 prior\$5) near5 (mesaag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:31
S32	44	S31 and @ad<"20000101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:24
S33	2	"6484197".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:47
S34	1	S33 and probabil\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 14:48
S35	60110	(priorit\$3 urgent\$3 importan\$3 prior\$5) near5 (mesaag\$3 email e-mail document\$3 text\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:45

EAST Search History

S36	62535	(priorit\$3 urgent\$3 importan\$3 prior\$5 attention\$3) near5 (mesaag\$3 email e-mail document\$3 text\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:34
S37	7141	S36 and (keybord\$3 mouc\$3 open\$3 read\$3) near5 ("no" "not" absent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:40
S38	57	S36 and (open\$3 read\$3) near5 ("no" "not" absent\$3) near5 (mail\$3 e-mail\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:42
S39	11	S38 and @ad<"19990101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:46
S40	74	(ag\$3) near5 (mesaag\$3 email e-mail document\$3 text\$3) near5 (urgent\$3 warn\$4 priorit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:48
S41	10	S40 and @ad<"19990101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:46
S42	11	(old\$3) near5 (mesaag\$3 email e-mail document\$3 text\$3) near5 (urgent\$3 warn\$4 priorit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:49
S43	81363	((old\$3 ag\$2 (non near3 open\$2) non-open (non near4 review\$3) non-read (non near3 read\$3)) near5 (messag\$3 eamil e-mail (e near3mail)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:20
S44	627	((old\$3 ag\$2 (non near3 open\$2) non-open (non near4 review\$3) non-read (non near3 read\$3)) near5 (messag\$3 eamil e-mail (e near3mail))) near5 (warn\$3 display\$3 alarm\$3 priorit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:05

EAST Search History

S45	627	S44 and ad@<"19991231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 10:21
S46	251	S44 and @ad<"19991231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 11:17
S47	64	S46 and (classif\$5 group\$3) near4 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 11:16
S48	575	(notic\$4 notif\$5 warn\$3 display\$3 alarm\$5) near5 (meet\$3 appoint\$5) near4 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:00
S49	160	S48 and @ad<"19991231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:01
S50	5	S43 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 11:19
S51	21	S49 and priorit\$3 near5 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:17
S52	59	remind\$3 near5 (notic\$4 notif\$5 warn\$3 display\$3.alarm\$5) near5 (meet\$3 appoint\$5) near4 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:02
S53	15	S52 and @ad<"19991231"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:01

EAST Search History

S54	827	(remind\$3 notic\$4 notif\$5 warn\$3 display\$3 alarm\$5) near5 (meet\$3 appoint\$5) near4 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:15
S55	2019	(remind\$3 notic\$4 notif\$5 warn\$3 display\$3 alarm\$5) near5 (meet\$3 appoint\$5 schedul\$3) near4 (mail messag\$3 email e-mail)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:18
S56	208	S55 and priorit\$3 near5 (email e-mail\$3 messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:17
S57	207	S56 and @ad<"199907030"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:20
S58	15	S57 and ((old\$3 ag\$2 (non near3 open\$2) non-open (non near4 review\$3) non-read (non near3 read\$3)) near5 (messag\$3 eamil e-mail (e near3mail))) near5 (warn\$3 display\$3 alarm\$3 priorit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 10:19
S59	61	S56 and @ad<"19990730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/25 14:19
S60	2	"6484197".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 11:02
S61	1	bayesian near classifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:36
S62	762	bayesian near classifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:45

EAST Search History

S63	14	S62 and support-vector near3 classifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:40
S64	25	support-vector near3 classifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:40
S65	23	support-vector near3 machine near3 classifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:41
S66	856	bayesian near3 classifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 14:45

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [C](#)

Welcome United States Patent and Trademark Office

 Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((loss <and> function <and> review <and> priority)<in>metadata)"



Your search matched 1 of 1666250 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» **Search Options**[View Session History](#)[Modify Search](#)[New Search](#)» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

 [view selected items](#)[Select All](#) [Deselect All](#)

1. **A cell and burst level control framework for integrated video and ima**
Skelly, P.; Pacifici, G.; Schwartz, M.;
[INFOCOM '94. Networking for Global Communications. 13th Proceedings](#)
12-16 June 1994 Page(s):334 - 341 vol.1
Digital Object Identifier 10.1109/INFCOM.1994.337602

[AbstractPlus](#) | Full Text: [PDF\(732 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)[Help](#) [Contact Us](#) [Priva](#)

© Copyright 2006 IE

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [C](#)

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((loss <and> function <and> review <and> routing)<in>metadata)"



Your search matched 1 of 501 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [Search Options](#)[View Session History](#)[Modify Search](#)[New Search](#)

((loss <and> function <and> review <and> routing)<in>metadata)

» [Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

 [view selected items](#)[Select All](#) [Deselect All](#) **1. An Introduction to Communication Network Analysis**

Kesidis, G.;

July 2007 Page(s):232

Hardcover, Edition: 1, ISBN: 0471371416

[IEEE Book](#) [Buy at Wiley.com](#) Price: US \$76.95[Help](#) [Contact Us](#) [Priva](#)

© Copyright 2006 IE

Indexed by
 Inspec®

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Help](#)

Welcome United States Patent and Trademark Office

 Search Results

Results for "((loss <and> email <and> review <and> priority)<in>metadata)"
Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» **Search Options**[View Session History](#)[New Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPORE GUIDE](#)**Modify Search** Check to search only within this results setDisplay Format: Citation Citation & Abstract» **Key****IEEE JNL** IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

Indexed by
 Inspec®

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [C](#)

Welcome United States Patent and Trademark Office

 Search Results[BROWSE](#)[SEARCH](#)[IEEE XPORE GUIDE](#)

Results for "((loss <and> function <and> open <and> priority)<in>metadata)"



Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» **Search Options**[View Session History](#)[Modify Search](#)[New Search](#)» **Key****IEEE JNL** IEEE Journal or Magazine**IET JNL** IET Journal or Magazine**IEEE CNF** IEEE Conference Proceeding**IET CNF** IET Conference Proceeding**IEEE STD** IEEE Standard Check to search only within this results setDisplay Format: Citation Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

Indexed by



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

+abstract:loss +abstract:function +abstract:review +abstract:



Nothing Found

Your search for **+abstract:loss +abstract:function +abstract:review +abstract:priority d** not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

`sales offices`

You can also enter a full question or concept in plain language.

`Where are the sales offices?`

- Capitalize proper nouns to search for specific people, places, or products.

`John Colter, Netscape Navigator`

- Enclose a phrase in double quotes to search for that exact phrase.

`"museum of natural history" "museum of modern art"`

- Narrow your searches by using a **+** if a search term must appear on a page.

`museum +art`

- Exclude pages by using a **-** if a search term must not appear on a page.

`museum -Paris`

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

`museum +"natural history" dinosaur -Chicago`

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

+abstract:loss +abstract:function +abstract:review +abstract:



Nothing Found

Your search for **+abstract:loss +abstract:function +abstract:review +abstract:routing** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

+abstract:loss +abstract:function +abstract:email +abstract:r



Nothing Found

Your search for **+abstract:loss +abstract:function +abstract:email +abstract:routing** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

+abstract:loss +abstract:function +abstract:email +abstract:d



Nothing Found

Your search for **+abstract:loss +abstract:function +abstract:email +abstract:delay** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: The ACM Digital Library The Guide

+abstract:loss +abstract:function +abstract:email +abstract:d



Nothing Found

Your search for **+abstract:loss +abstract:function +abstract:email +abstract:delay +abstract:priority** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)

loss function email delay priority

[Search](#)[Advanced Search](#)
[Preferences](#)New! [View and manage your web history](#)**Web Results 1 - 10 of about 1,970,000 English pages for loss function email delay priority. (0.32 seconds)****[PDF] Delay analysis of a cellular mobile priority queueing system ...**

the **delay** distribution for the low **priority** queue having a. matrix-exponential form. In Section 111-A, is simply found from Erlang's **loss function**, ...
ieeexplore.ieee.org/iel4/90/8894/00392390.pdf?arnumber=392390 - [Similar pages](#)

[PDF] Effective priority control scheme according to cell loss ...

function whch counts cell number of class 3 6) and class invariable ratio of load and it can satisfy **delay** and **loss**. **priority**. ...
ieeexplore.ieee.org/iel5/6630/17685/00818473.pdf - [Similar pages](#)
[[More results from ieeexplore.ieee.org](#)]

[PDF] Supplier evaluation and selection using Taguchi loss functions

erence **function**. But in practice, the lead-time is short and the. **loss** for **delayed** deliveries always catches more attention. The ...
www.springerlink.com/index/CNR0FMCUXT5YLLRG.pdf - [Similar pages](#)

[PDF] PII: S0166-5316(02)00082-2

We will derive expressions for the probability generating **function** of the packet **delay** of the **high-priority**. traffic and the **low-priority** traffic. ...
linkinghub.elsevier.com/retrieve/pii/S0166531602000822 - [Similar pages](#)

[PDF] SPD (Static Priority with Deadline Considerations) Packet ...

have a higher **priority** than an **e-mail** application. If a. network node becomes congested, scheduling algorithm tries to integrate the **delay** and **loss** ...
doi.ieeecomputersociety.org/10.1109/ICNS.2007.111 - [Similar pages](#)

Unified Packet Scheduling Method Considering Delay Requirement in ...

SINR · PSINR (PDelay, PType, and PSINR are the **priority functions** ... Furthermore, we show that the outage probability for achieving the packet **loss** rate ...
ietcom.oxfordjournals.org/cgi/content/abstract/E88-B/1/170?rss=1 - [Similar pages](#)

Martin De Wulf and Laurent Doyen and Jean-François Raskin. Almost ...

In learning problems using the quadratic **loss function**, the well known ... bursts of high **priority** traffic interrupt the transmission of low **priority** files. ...
www.ulb.ac.be/di/publications/RT_2005.html - 25k - [Cached](#) - [Similar pages](#)

[PDF] Delay Analysis of a Cellular Mobile Priority Queueing System

the **delay** distribution. for the low **priority** queue having a. matrix-exponential value of qm is simply found from Erlang's **loss function**, ...
portal.acm.org/ft_gateway.cfm?id=208404&type=pdf&coll=GUIDE&dl=GUIDE&CFID=15151515&CF... - [Similar pages](#)

[Paper] Experimental Evaluation of IEEE 802.11e

Delay when nodes transmit only one flow with **priority** 0 Averaged **Delay** for ... Figure 8 shows packet **loss** (%) as a **function** of the amount of stations. ...
www.actapress.com/PDFViewer.aspx?paperId=23917 - [Similar pages](#)

IETF Internet Draft NSIS Working Group J. Ash Internet Draft M ...

It MUST be possible to perform the following QoS-NSLP signaling **functions** to meet Y.1541-QOSM requirements: a. accumulate **delay**, **delay variation** and **loss** ...
www.ietf.org/internet-drafts/draft-ietf-nsis-y1541-qosm-04.txt - 27k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)

loss function email review priority

[Search](#)[Advanced Search](#)
[Preferences](#)New! [View and manage your web history](#)**Web Results 1 - 10 of about 1,790,000 English pages for loss function email review priority. (0.12 seconds)**

Tip: Save time by hitting the return key instead of clicking on "search"

NIH Guide: THE FUNCTION OF SYNAPTIC PROTEINS IN SYNAPSE LOSS AND ...

This RFA, "The function of synaptic proteins in synapse loss and neurodegeneration" is related to one or more of the **priority areas** ...

grants.nih.gov/grants/guide/rfa-files/RFA-NS-01-002.html - 25k - [Cached](#) - [Similar pages](#)

NIH Guide: PATHOPHYSIOLOGY OF ANOREXIA IN DISEASE AND AGING

In children, **loss** of appetite associated with many chronic disorders or infections

assigned a **priority score**, and receive a second level **review** by the ...

grants.nih.gov/grants/guide/pa-files/PA-95-079.html - 21k - [Cached](#) - [Similar pages](#)

[[More results from grants.nih.gov](#)]

Integration of a computer-based message priority system with ...

... text classifier to assign such **priority** to a text such as an **email** message. In one embodiment, however, **priority** is defined in terms of a **loss function** ...

www.patentstorm.us/patents/6714967-description.html - 71k - [Cached](#) - [Similar pages](#)

Abbott's Humira® (Adalimumab) Granted FDA Priority Review For The ...

The FDA granted **Priority Review** status to HUMIRA based on its potential to address and improving physical **function** in adult patients with moderately to ...

www.medicalnewstoday.com/articles/55648.php - 50k - [Cached](#) - [Similar pages](#)

FDA Grants Priority Review Of Remicade(R) For Children With ...

Priority Review is granted by the FDA to products that are considered to be a ... in symptoms such as diarrhea, fever, abdominal pain and weight **loss** ...

www.medicalnewstoday.com/articles/40982.php - 55k - [Cached](#) - [Similar pages](#)

[[More results from www.medicalnewstoday.com](#)]

E-Mail and Potential Loss to Future Archives and Scholarship

Rudy, in an article published in 1996, **reviews** the literature on **e-mail** research, of electronic records must be a **priority** over documentary editions: ...

www.firstmonday.org/issues/issue4_9/lukesh/ - 65k - [Cached](#) - [Similar pages](#)

ASWM: Review of "Compensating for Wetland Losses. . ."

Up-front compensation is only discussed in the context of the temporal **loss of functions** and not as it relates to compliance. ...

www.aswm.org/science/nrc-report.htm - 26k - [Cached](#) - [Similar pages](#)

Integration of a computer-based message priority system with ...

Especially with the advent of the Internet, exchanging **email** has almost This **loss function** can further vary according to the type of text received. ...

www.freepatentsonline.com/20040172457.html - 72k - [Cached](#) - [Similar pages](#)

[PDF] Culture of Service: Priority Action Items

File Format: PDF/Adobe Acrobat - [View as HTML](#)

so staff are evaluated on this **function**. 11.3 Utilize mystery shopper program - feedback part of **review**. **Priority** 12: Physical plant and signage ...

www.sjsu.edu/cultureofservice/docs/Culture_of_Service-Priority_Action_Items.pdf - [Similar pages](#)

ImClone.com Investor Relations - Press Release

Based on the **priority review**, the likely FDA action date for the sBLA is ... Mab) designed to inhibit the **function** of a molecular structure expressed on the ...

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)**Google**

loss function email review routing

[Search](#)[Advanced Search](#)[Preferences](#)New! [View and manage your web history](#)**Web Results 1 - 10 of about 1,640,000 English pages for loss function email review routing. (0.18 seconds)**

Tip: Save time by hitting the return key instead of clicking on "search"

Techworld.com - Data & Voice Networking Reviews - Routing Software ...

Quagga **routing** software **review**. Open source router sets an acceptable canter. ... packet loss and latency tests using a Spirent Smartbits 6000 results with ...

www.techworld.com/networking/reviews/index.cfm?reviewid=452 - 56k -

[Cached](#) - [Similar pages](#)

natural language processing blog: What Irks Me about E-mail ...

IBM research, for example, does work on **routing** **email** messages at their service centers.

... **Loss Functions** for Chunking Tasks · Language and X ...

nlpers.blogspot.com/2007/01/what-irks-me-about-e-mail-customer.html - 77k -

[Cached](#) - [Similar pages](#)

Methods for **routing items for communications based on a measure of ...**

The **routing** of prioritized documents such as **email** messages is disclosed. ... This **loss function** can further vary according to the type of text received. ...

www.patentstorm.us/patents/6622160-description.html - 64k - [Cached](#) - [Similar pages](#)

MATLAB Central File Exchange - Dijkstra Shortest Path Routing

Summary:, This **function** and example show shortest path **routing** based on Dijkstra ... post, **e-mail**, transmit or otherwise make available via MATLAB Central. ...

www.mathworks.com/matlabcentral/fileexchange/loadFile.do?objectId=5550&objectType=FILE - 43k - [Cached](#) - [Similar pages](#)

MATLAB Central File Exchange - Dijkstra Shortest Path Routing

Summary:, This **function** and example show shortest path **routing** based on ... or any **loss** or damage of any kind incurred as a result of the use of any content ...

www.mathworks.com/matlabcentral/fileexchange/loadFile.do?objectId=5550 - 43k -

[Cached](#) - [Similar pages](#)

[More results from www.mathworks.com]

E-Mail and Potential **Loss to Future Archives and Scholarship**

The extent to which these **functions** are the exclusive province of interpersonal ... Rudy, in an article published in 1996, **reviews** the literature on **e-mail** ...

www.firstmonday.org/issues/issue4_9/lukesh/ - 65k - [Cached](#) - [Similar pages](#)

PPS Post Audit Notification Training

The **e-mail routing** preference will be made by the reviewer on the PAN system. The user will have the ability to link from a Web PAN **review** screen to the Web ...

accounting.ucr.edu/ppspan.htm - 17k - [Cached](#) - [Similar pages](#)

User's Guide - ORSC Human Subjects

... **review** approval letters. The upload **function** works just like an **email** attachment. ...

Amendment and Continuing **Review Routing Map** Amendment **Routing Map** ...

www.utexas.edu/research/rsc/humanresearch/users_guide/index.php - 42k -

[Cached](#) - [Similar pages](#)

December 1998/January 1999

Juno's features include a spell check **function**, customized folders for storing your **e-mail**, and an address book that can automatically save the addresses of ...

www.landlinemag.com/archives/1998/dec98_jan99/software_review.html - 17k -

[Cached](#) - [Similar pages](#)